

7.0 BID PROPOSAL

Bid # 5675, Flatbed Truck Bodies

7.1 UNIT DESCRIPTION – 9' Body, per specification

Make	Model	Year	Price
MABAR	9' x 96" flat form body	2002	\$ 3,981.00 each

7.2 OPTIONS

Option:	Description:	Price:
A	Alternate Body – 1, Bed Length = 10'	\$
B	Alternate Body – 2, Bed Length = 12'	\$
C	Alternate Body – 3, Bed Length = 14'	\$
D-9'	Body with diamond plate steel floor – 9' length -without hoist	\$ 3,981.00
D-10'	Body with diamond plate steel floor – 10' length -without hoist	\$ 4,390.00
D-12'	Body with diamond plate steel floor – 12' length -without hoist	\$ 4,608.00
D-14'	Body with diamond plate steel floor – 14' length - without hoist	\$ 4,855.00
E	Hydraulic Pump – Engine driven ^{9-10'} body with class B scissor hoist	\$ 4,622.00
F	Hydraulic Pump – Electric/Hydraulic ^{11-12'} body with class C scissor hoist	\$ 4,787.00
	^{14'} body with class D scissor hoist	\$ 5,074.00
G	Tailgate Lift	\$ 3,867.00
H	Rear Hitch	\$ 1,675.00

8.0 FREIGHT TERMS


FOB destination, freight prepaid. All freight charges must be included in bid pricing.

9.0 DELIVERY

Delivery will occur 60-90 days after proper notification of bid award.

10.0 CONTRACTOR'S STATEMENT

I have read and fully understand all the conditions, specifications, and special instructions herein set forth above in paragraphs 1.0 through 9.0. I hereby agree to comply with all said conditions, special instructions, and specifications as stated or implied.

Signature: 	Title:
Print Name: JOE OWENS	VICE PRESIDENT
Company: MACDONALD EQUIPMENT COMPANY	Date: FEBRUARY 25, 2002
Street: 7333 HIGHWAY 85	Phone #: 303-287-7401
City/State/Zip: COMMERCE CITY, CO 80022	Fax #: 303-287-7404

6.0 SPECIFICATIONS

6.1 Equipment bid on this proposal must meet or exceed the following minimum requirements. Any exceptions must be noted and listed on a separate sheet.

FLATBED TRUCK BODIES

General: The following specification describes a Flat Bed Body to be mounted on a 1-Ton Cab/Chassis. The cab/chassis will be delivered to the successful body bidder who will then be responsible for the delivery of the completed unit to the City of Fort Collins. A complete and up-to-date manufacture specification must accompany bid.

No.	Item	Description	Meets Spec?
6.2	QUANTITY:	One to Ten (1-10)	
6.3	CAB/AXLE:	60- 84 inches	Yes <u> X </u> No <u> </u>
6.4	BODY MATERIALS:	All steel painted black	Yes <u> X </u> No <u> </u>
6.5	BED LENGTH:	9 Feet	Yes <u> X </u> No <u> </u>
6.6	BED WIDTH:	96 inches	Yes <u> X </u> No <u> </u>
6.7	BED FLOOR:	- Standard apitong wood floor - 1/8" steel tread plate - Steel channel band around entire platform - Stake pockets - 14" wood side and rear boards-steele gauge	Yes <u> </u> No <u> X </u>
6.8	UNDERCARRIAGE:	- Steel longitudinal channel with interlaced or stacked cross member construction	Yes <u> X </u> No <u> </u>
6.9	BULKHEAD:	- Diamond plate steel straight sides with mesh window 12 ga. steel w/full width window	Yes <u> X </u> No <u> </u>
6.10	LIGHTS:	- All lights must be rubber mounted, sealed assemblies with wiring run in conduit. - Stop lights recessed in rear -rubber mounted - Tail lights recessed in rear -rubber mounted - Backup lights recessed in rear -rubber mounted Identification lights and reflectors must meet all State and Federal requirements	Yes <u> X </u> No <u> </u>
6.11	MUD FLAPS:	- Both in front of and behind the rear wheels	Yes <u> X </u> No <u> </u>

No.	Item	Description	Meets Spec?
6.12	GVW CERTIFICATION AND MSO:	Must be furnished upon delivery	Yes <u>S</u> No <u> </u>
6.13	F.O.B. POINT:	Delivery of completed unit shall be made to the Fleet Services facility at 835 Wood Street, Fort Collins.	Yes <u>X</u> No <u> </u>
6.14	MANUALS:	Completed units must be delivered with operation, maintenance, and parts manuals for the hydraulic system.	Yes <u>X</u> No <u> </u>
OPTIONS:			
(A)	Alternate Body – 1	As specified above, except Bed Length = 10 feet	X
(B)	Alternate Body – 2	As specified above, except Bed Length = 12 feet	X
(C)	Alternate Body – 3	As specified above, except Bed Length = 14 feet	X
(D)	Steel Bed Floor	As specified above, except Bed Floor: - Diamond plate steel floor, standard duty, including additional cross members and framing as needed. Provide pricing for 9', 10', 12' & 14' bed lengths	X
(E)	Hydraulic Pump – Engine Driven	Hydraulic Pump: Engine-mounted, belt driven hydraulic pump, not <u>PTO</u> powered. Electric clutch activated Hydraulic tank to be equipped with manual shut-off valve to hydraulic pump. Drop-down "pogo-stick" type safety device with parallel lock-up position when not in use.	X
(F)	Hydraulic Pump – Electric/Hydraulic	Hydraulic Pump: As specified in Option (F), except, 12-volt Electric/Hydraulic PTO	X
(G)	Tailgate Lift	1,600 lb. Tommy lift with 36" Bi-fold ramp	X
(H)	REAR HITCH: Hitch wiring must be run in conduit and must be spliced into chassis wiring using a suitable adapter.	- Combo pintle / 2" ball hitch capable of towing up to 10,000lbs. - Pintle hitch height specified at time of order - Safety chain loops - 6-way electrical receptacle (female) for trailer towing must be STANDARD TCP-61-F or COLE - HERSEE 1235, or equal. Receptacle model as listed is very important. If questions exist regarding this receptacle model, please contact City (Fleet Services) prior to installation	X



CITY OF FORT COLLINS

ADDENDUM No. 1
BID #5675
FLATBED BODIES

SPECIFICATIONS AND CONTRACT DOCUMENTS

Description of Bid #5675 FLATBED BODIES

OPENING DATE: February 25, 2002, 2:30p.m. (Our Clock)

To all prospective bidders under the specifications and contract documents described above, the following changes are hereby made.

Change Options E and F, to read as follows:

(E)	Hoist & Hydraulic Pump – Engine Driven	Hoist: - 9' to 12' bed - Class B TBEA telescopic scissor or combo hoist. - 14' bed – Class D TBEA telescopic scissor or combo hoist. Hydraulic Pump: - Engine-mounted, belt driven hydraulic pump, not <u>PTO</u> powered. Electric clutch activated Hydraulic tank to be equipped with manual shut-off valve to hydraulic pump. Drop-down "pogo-stick" type safety device with parallel lock-up position when not in use.
(F)	Hoist & Hydraulic Pump – Electric/Hydraulic	Hoist: As specified in Option (E) Hydraulic Pump: As specified in Option (E), except, - 12-volt Electric/Hydraulic PTO

If you have any questions please contact Jim Hume, CPPB, Senior Buyer, at 970-221-6776.

RECEIPT OF THIS ADDENDUM MUST BE ACKNOWLEDGED BY A WRITTEN STATEMENT ENCLOSED WITH THE BID/QUOTE STATING THAT THIS ADDENDUM HAS BEEN RECEIVED.