




KMD inc.

6538 S. Racine Circle
Suite #110
Centennial, CO. 80111


PH: 303-773-8770
FX: 303-773-8776

CLIENT: CENTEX HOMES
SURVEY: LP87 (113236)
DATE: 11/16/04
ADDRESS: 1739 PRAIRE HILL DRIVE
REVISION 11/19/04

PLOT PLAN



SCALE: 1" = 20'



NOTE:

- (45.8) = GRADE ELEVATION NEEDED FOR PROPER DRAINAGE.
- 45.8 = EXISTING REAR CORNER ELEVATION.

Desmond P
Todd W
Mark L
Linda S
Trisia K

[Handwritten signatures and dates: 11-30-04, 05/11/2004]



PRAIRIE HILL DRIVE

B0407467

SET BACKS	
FRONT	15'
REAR	15'
SIDE	5'
CORNER	15'
MIN	10' BLD-BLD

LEGAL

LOT 87, LINDEN PARK, CITY OF FORT COLLINS,
COUNTY OF LARIMER, STATE OF COLORADO

NOTE:

- A. ALL SWALES @ MIN 2%
- B. DROP 1' IN FIRST 10' OR MIN 10% FROM HOUSE

GENERAL NOTES

1. THIS PLOT PLAN DOES NOT SHOW LOCATION OF WINDOW WELL FOR THEIR LOCATION SEE STRUCTURAL ENGINEERED PLANS.
2. THIS PLOT PLAN IS BASED ON INFORMATION PROVIDED TO KMD INC. BY THE BUILDER / DEVELOPER.
3. DIMENSIONS SHOWN AROUND THE PERIMETER OF THE STRUCTURE ARE TO THE EXTERIOR FOUNDATION CORNERS.
4. PROVIDE AND MAINTAIN POSITIVE DRAINAGE AWAY FROM ALL FOUNDATION WALL PER WARRANTEE REQUIREMENTS. (0.5% MINIMUM SLOPE FOR CONCRETE PANS.)
5. THIS PLOT PLAN SHOWS PROPOSED IMPROVEMENTS ONLY. FINAL CONSTRUCTION MAY VARY.
6. FOR QUESTIONS REGARDING THE FOUNDATION DURING EXCAVATION FORM SETTING AND HOUSE CONSTRUCTION REFER TO THE ENGINEERED FOUNDATION PLANS.

HOMEOWNERS ACCEPTANCE: