



Bobcat®

Product Quotation

Quotation Number: 10045D010916

Date: 2015-08-12 08:22:52

Ship to	Bobcat Dealer	Bill To
City Of Fort Collins - Natural Area Attn: Aaron Reed/Doug Clapp Fort Collins, CO 80524	Bobcat of the Rockies, LLC, Windsor, CO 1015 CHAMPION DRIVE WINDSOR CO 80550 Phone: 970-356-8800 Fax: 970-686-6323 ----- Contact: Joseph Domanik Phone: 970-356-8800 Fax: 970-686-6323 Cellular: 970-556-0150 E Mail: jdomanik@bobcatoftherockies.com	City Of Fort Collins - Natural Area Attn: Aaron Reed/Doug Clapp Fort Collins, CO 80524

Description	Part No	Qty	Price Ea.	Total
2015 Towmaster T12-T 16' + 5' Stationary Deck		1	\$8,850.00	\$8,850.00
Freight From Grand Junction		1	\$200.00	\$200.00
Total of Items Quoted				\$9,050.00
Dealer P.D.I.				\$0.00
Freight Charges				\$0.00
Dealer Assembly Charges				\$0.00
Quote Total - US dollars				\$9,050.00

Notes:

All prices subject to change without prior notice or obligation. This price quote supersedes all preceding price quotes. Customer must exercise his purchase option within 30 days from quote date.

Customer Acceptance: _____ Purchase Order: _____

Authorized Signature: _____

Print: _____ **Sign:** _____ **Date:** _____

TOWMASTER

COUNT ON IT

Drop-Deck Tilt
T-9DT / T-10DT / T-12DT



Cushion cylinder controls the deck when loading or unloading equipment.



Long approach ramp allows easy equipment loading and unloading.



Single deck latch lever with dual latch securement is easy to operate.

Description:

The Towmaster drop-deck tilt trailers are popular with rental dealers and small contractors. There are no ramps to hassle with; simply tilt the deck and drive on or off. This trailer is built on our cold-formed I-beam tongue and main frame for tough durability. The tilt deck trailer features a single lever twin-latch system, Long approach plate, rubber-ride axles and adjustable hitch. A deck cushion cylinder eases the deck back into transport position and prevents equipment from slamming the deck down.

Quick Specs:

- 2" nominal white oak deck
- 22.5" deck height (empty)
- 82" between fenders
- 14', 16', 18' cushioned deck
- Electric brakes with forward adjust
- Dexter Torflex axles
- E-Z Lube hubs
- Integrated long approach ramp
- LED Lights and Sealed Wiring

towmaster.com

800-462-4517


U.S.A. BUILT
EMPLOYEE OWNED
AMERICA'S BEST TRAILER



GALVANIZING
AVAILABLE



Photos may show optional equipment.



SPECIFICATIONS

S=Standard O=Optional

CAPACITY / DIMENSIONS	T-9DT	T-10DT	T-12DT
	Payload Rating (lbs/kg)	6,190 / 2808	10,000 / 4536
GVWR (lbs/kg)	9,990 / 4531	13,800 / 6260	15,900 / 7212
GAWR (lbs/kg)	14,000 / 6350	14,000 / 6350	14,000 / 6350
Approx. Avg. Weight (lbs/kg)	3,800 / 1724	3,800 / 1724	3,900 / 1769
Overall Length - 14' (ft-in/mm)	20-0 / 6096	20-0 / 6096	20-0 / 6096
Overall Length - 16' (ft-in/mm)	22-0 / 6706	22-0 / 6706	22-0 / 6706
Overall Length - 18' (ft-in/mm)	24-0 / 7315	24-0 / 7315	24-0 / 7315
Deck Height (empty)(in/mm)	22 / 559	22 / 559	22 / 559
Overall Width (ft-in/mm)	8-6 / 2591	8-6 / 2591	8-6 / 2591
Load Width (in/mm)	82 / 2083	82 / 2083	82 / 2083
TONGUE			
Tongue Length 5'-0" (1524mm)	S	S	S
One-Piece Cold-Formed Tongue / Frame	S	S	S
Pintle Ring (in)	2.5	2.5	2.5
High-Tensile Safety Chain	3/8" Grade 43	3/8" Grade 43	3/8" Grade 43
Bolt-on Drop-Leg Parking Jack	7K	7K	12K
FRAME / RAMPS			
Main Beam	6" I-Beam	6" I-Beam	High Tensile W6 x 12
Crossmembers	3" Channel	3" Channel	3" Channel
Headboard Height (in / mm)	3 / 76	3 / 76	3 / 76
Deck	2" nom. White Oak	2" nom. White Oak	2" nom. White Oak
Deck Lip (in / mm)	2 / 51	2 / 51	2 / 51
Deck Latch	Dual-Point	Dual-Point	Dual-Point
12 ga. One-piece formed fenders and inner panel	S	S	S
Approach Ramp (in x in/mm)	24 / 610	24 / 610	24 / 610
Load Angle (degrees) - depending on deck length	12, 13, 14	12, 13, 14	12, 13, 14
Tie Downs	D-ring	D-ring	D-ring
Number of Tie-Downs (Total / Side)	8 / 4	8 / 4	8 / 4
SUSPENSION / TIRES			
Rubber-Ride Axles w/Warranty	S	S	S
Axle Capacity (each) (lbs/kg)	7,000 / 3175	7,000 / 3175	7,000 / 3175
Axle Spread (in/mm)	34 / 864	34 / 864	34 / 864
Hubs	E-Z Lube	E-Z Lube	E-Z Lube
Electric Brakes w/Forward Adjust	S	S	S
Brake Size (in/mm)	12x2 / 305x51	12x2 / 305x51	12x2 / 305x51
Battery Break-Away Kit with Tow Charger	S	S	S
Wheels (in/mm)	16x6 / 406x152	16x6 / 406x152	16x6 / 406x152
Wheel Bolt Pattern	8-bolt	8-bolt	8-bolt
Tires / Load Range Rating	235/85R16 / E	235/85R16 / E	235/85R16 / E

STANDARD EQUIPMENT

- Adjustable hitch height
- Weather resistant sealed modular wiring
- Grommet mounted LED lights
- Registration holder
- Rust inhibiting primer
- Durable, rust inhibiting top coat
- Die-cut UV resistant vinyl decals
- D.O.T. approved conspicuity tape
- Mud flaps
- RV electrical plug
- Trailer color: Equipment black

OPTIONAL EQUIPMENT

Other options may be available. Ask your dealer or visit our web site.

- Hydraulic surge brakes
- 3" pintle ring or 2-5/16" ball coupler
- 4-foot stationary deck
- Gooseneck hitch
- 6-pole round electrical plug
- Storage tray lid
- Pallet fork holders
- 8K electric winch
- Additional tie-downs
- Spare tire and wheel mount
- Spare tire and wheel
- "SL" ramp option for hauling scissor lifts
- Color options: Construction Yellow, Equipment Red, Blue, Charcoal
- Galvanizing

16' w/5' stationary deck
\$8950

Download PDF



AMERICA'S BEST TRAILER

U.S.A. DESIGNED AND BUILT IN LITCHFIELD, MN

*Payload capacity is calculated by taking the GVWR and subtracting the trailer weight. Listed GVWR, weights, and dimensions are for reference only. Manufacturer reserves the right to change models and specifications as they see fit. See our web site or your local authorized dealer for more information.

www.towmaster.com

800-462-4517

©Towmaster, Inc. 09/2013

Doug Clapp

From: Joe Domanik <jdomanik@bobcatoftherockies.com>
Sent: Tuesday, August 11, 2015 2:35 PM
To: Doug Clapp
Subject: Sales Agreement & Towmaster Tilt Deck Trailer Info
Attachments: Copy of 2015 Bobcat 5600 Natural Areas With Attachments 7-31-15.xls; Towmaster T12T 8-11-15.pdf

Doug-

Here is the info you requested, we have a 2015 Towmaster T12DT-N in Grand Junction. It's a 16' trailer with a 5' stationary deck. Please let me know if there is interest and I can see what it would take to get it here. I'd plan on \$200 in freight worst case. The price is written on the back page

Thanks Doug!!

--


Joe Domanik
Bobcat Territory Manager
Bobcat Of The Rockies, LLC
970-556-0150 Cell
970-686-6323 Fax

Trailers- Utility Tag

Updated August 5, 2015

LANDOLL LT1216+4

Model	Capacity*	Base Weight	Deck	Axles	Tires & Ply Rating	(2016) Price
LT1216+4	12,000 lbs.	3,700 lbs.	20' x 8'6"	2	235/80R 16LRE	\$11,840



STANDARD EQUIPMENT

Load Capacity:	12,000 lbs.	Tilt Cylinder:	2-1/2 x 16 Cushion Cylinder
G.V.W.R.	15,700 lbs.	Approach:	Full Width Landoll Traction Plate
Estimated Base Weight:	3,700 lbs.	Lock Down:	Positive Over Center
Main Frame:	6" Channel	Lights:	Sealed Beam - Per I.C.C. & Federal Regulations
Crossmembers:	4" Jr. I-Beam 80,000 PSI Yield on 24" Centers	Electrical:	7 Pole RV Electric Plug - Wiring in Conduit
Jacks:	7,000 Lb. Top Crank Bull Dog	Fenders:	14 Gauge - Cold Rolled Formed with Back
Tires:	235/80R 16LRE	Running Boards:	16 Gauge - Cold Roll formed with Anti-Skid Tape
Wheels:	Steel Wheels - 16.5 x 6.75-8 Bolt	Tie Rings:	5/8" D-Rings (6)
Axles:	2 - 7,000 Lb. E-Z Lubes	Stake Pockets:	4 Per Side
Suspension:	Torflex Axles	Safety Chains:	3/8" x 35" G70 Chain with GelCel Chargeable Battery and Box
Brakes:	12" x 2" Electric Brakes (Both Axles)	Finish:	Your Choice: White, Black or Yellow Non-Fading, Scratch & Chip Resistant Powder Coat Paint
Hitch:	Your Choice: 2-5/16" Ball or 3" Pintle Hook, 12" Vertical Height Adjustment-12,000 lb. Capacity	Decals:	Hi-Visibility Reflective Package
Tool Box:	Under Deck		
Decking:	2" CA-B Copper Azole Treated Pine		
Deck Height (Loaded):	22"		
Width:	80" Inside Fenders - 102" O.A.		
Length:	16' Tilt Deck + 4' Stationary		
Load Angle:	11.4 Degrees		

Specifications subject to change without notice.

City of Ft. Collins
Attn: Doug Clapp

Base Price: \$ 11,840.00
Govt. Price: \$ 10,564.00
Freight to Denver: \$ 900.00
Tax: Exempt
Total: \$ 11,464.00

14K SKID-PRO



2015 SKID-PRO :
83" WIDE, 20' LONG.
2-7000 LB AXLES.
14,000 LB GVW.

\$ 4900.00

JAYHAWK TRAILERS
5600 E. 72ND AVE.
COMMERCE CITY, CO.
80022
303-286-7293
FAX:303-289-4360

ONE YEAR WARRANTY

The following features are **standard**:

1. 10,000 lb drop leg jack.
2. **Spring assisted** stand-up ramps.
3. Adjustable combination coupler. (2 5/16" ball or pintle)
4. All sealed beam flush mounted lights.
5. Heavy duty six leaf **slipper spring** suspension.
6. Diamond plate fenders.
7. Full length 2" rub rails.
8. 16" spacing on floor cross members.
9. E-range 10 ply 235/85R16 tires with **8 bolt 16" wheels.** (compatible with many 3/4 ton pick-up wheels.)
10. 2' dove tail.
11. **OAK FLOOR**

Landoll Corporation

Search the Site

Search Now

- [Home](#)
- [Products](#) ▾
- [Contact Us](#) ▾
- [Shows](#)
- [About Us](#) ▾
- [Dealer Portal](#)



[Home](#) > [Products](#) > [Trailers](#) > [Utility Tag Trailers](#) > Model LT1216+4

Utility Tag Model LT1216+4

Description	Features	Options	Specs	Drawing	Photo Gallery	Literature
-----------------------------	--------------------------	-------------------------	-----------------------	-------------------------	-------------------------------	----------------------------

12,000 Tilt Tag with 4' Stationary Deck

The Model LT1216+4 trailer is as 12,000 lb. capacity tilting tag trailer designed to haul light construction and landscaping equipment. The LT 1216+4 features a 16' tilt deck plus a 4' stationary deck for attachments, pallets, or supplies. A cushion cylinder tilts the deck for easy loading and unloading, and a heavy duty bed lockdown secures the bed in transport position. The approach plate is exclusive machined Landoll traction plate with four keyhole tie downs.



LITERATURE REQUEST

Choose a Trailer

Doug Clapp

From: Ryan Kogut
Sent: Friday, July 31, 2015 12:48 PM
To: Aaron Reed
Cc: Karen Mancj; Brandon Poole; Anastasia Patterson; Todd Juhasz; Doug Clapp
Subject: Re: trailer brochure
Attachments: image002.png; image001.jpg

Can u make sure it is long enough to hold other equipment such as gateway tractor with attached mower deck that would come in handy

Sent from my iPhone

On Jul 30, 2015, at 2:44 PM, Aaron Reed <AReed@fcgov.com> wrote:

Good afternoon everyone,

Please check out the attached specs as an option for a trailer to haul the Tool Cat. Please respond back with your thoughts when you get a chance. Doug is looking in to a variety of options that could fit our needs. Thank you.

Aaron (Diggs) Reed
Natural Areas Technician
Natural Areas Department
Cell: (970) 308-0643
Office: (970) 416-2210
Email: areed@fcgov.com



From: Doug Clapp
Sent: Thursday, July 30, 2015 2:40 PM
To: Aaron Reed
Subject: FW: trailer brochure

Aaron,

Here is a picture of the trailer offered by Bobcat. Will this work for your applications?

Doug Clapp, CPPB
Senior Buyer



Email: dclapp@fcgov.com
Ph# 970-221-6776

Doug Clapp

From: Anastasia Patterson
Sent: Friday, July 31, 2015 12:44 PM
To: Aaron Reed; Karen Mancini; Ryan Kogut; Brandon Poole; Todd Juhasz
Cc: Doug Clapp
Subject: RE: trailer brochure

Aaron, I don't care for those heavy ramps. I know they are spring assisted but still have to lift about 16" to 24" before the springs assist kicks in .

I would prefer a tilted ramp system like the one we have. Thanks for all you do, Anastasia

From: Aaron Reed
Sent: Thursday, July 30, 2015 2:44 PM
To: Karen Mancini; Ryan Kogut; Brandon Poole; Anastasia Patterson; Todd Juhasz
Cc: Doug Clapp
Subject: FW: trailer brochure

Good afternoon everyone,

Please check out the attached specs as an option for a trailer to haul the Tool Cat. Please respond back with your thoughts when you get a chance. Doug is looking in to a variety of options that could fit our needs. Thank you.

Aaron (Diggs) Reed
Natural Areas Technician
Natural Areas Department
Cell: (970) 308-0643
Office: (970) 416-2210
Email: areed@fcgov.com



From: Doug Clapp
Sent: Thursday, July 30, 2015 2:40 PM
To: Aaron Reed
Subject: FW: trailer brochure

Aaron,

Here is a picture of the trailer offered by Bobcat. Will this work for your applications?

Doug Clapp, CPPB
Senior Buyer



Email: dclapp@fcgov.com
Ph# 970-221-6776


Quote: City of Ft. Collins

Trailers- Utility Tag

Updated March 13, 2015

LANDOLL LT1016+4

Model	Capacity*	Deck	Axles	Tires & Ply Rating	(2016) Price
LT1016+4	10,000 Lb.	20' x 8' 6"	2	235/80R 16LR E	\$10,690

**STANDARD EQUIPMENT**

Load Capacity:	10,000 Lbs.	Tilt Cylinder:	2-1/2 x 16 Cushion Cylinder
G.V.W.R.	13,500 Lbs.	Approach:	Full Width Landoll Traction Plate
Estimated Base Weight:	3,500 Lbs.	Lock Down:	Positive Over Center
Main Frame:	6" Channel	Electrical:	6 Pole Electric Plug - Wiring In Conduit
Crossmembers:	4" Jr. I-Beam 80,000 PSI	Lights:	Sealed Beam - Per I.C.C & Federal Regulations
Jack:	7,000 Lb. Top Crank Bull Dog	Fenders:	14 Gauge - Cold Rolled Formed with Back
Tires:	235/80R 16LRE	Running Boards:	16 Gauge - Cold Roll Formed with Anti-Skid Tape
Wheels:	Steel Wheels - 8 Bolt Pattern	Tie Rings:	5/8" D-Rings (8)
Axles:	2-6,000 Lbs. Ez Lubes	Stake Pockets:	4 Per Side
Suspension:	Torflex Axles	Safety Chains:	3/8" x 35" G70 Chain
Brakes:	12" x 2" Electric Brakes (Both Axles)	Beak-Away Kit:	with GelCel Chargeable Battery and Box
Hitch:	Your Choice: 2 5/16" Ball or 3" Pintle Hook, 12" Vertical Height Adjustment-12,000 Capacity	Finish:	Your Choice: White, Black or Yellow, Non-Fading Scratch & Chip Resistant "Powder Coat" Paint
Toolbox:	Under Deck	Decals:	Hi-Visibility Reflective Package
Decking:	2" CA-B Copper Azole Treated Pine		
Deck Height (Loaded)	22" Loaded		
Width:	80" Inside Fenders - 102" O.A.		
Length:	16' Tilt Deck + 4' Stationary		
Load Angle:	11.4 Degrees		

Specifications subject to change without notice.

City of Ft. Collins
Attn: Doug Clapp

Base Price: \$10,690.00
Govt. Price: \$ 9,686.50
Freight to Denver: \$ 900.00
Tax: \$ Exempt
Total: \$10,586.50