

ebonnette@fcgov.com.


Bid #5819 Picnic Tables						
Qty	Description	Unit Price	Extended	Leadtime	Colors Available?	
15 each	Mesh Picnic Tables (see specifications above)	<i>NO Bid</i>				
70 each	Aluminum Picnic Tables (see specifications above)	\$384.00	\$26,880. ⁰⁰	4 WEEKS	SILVER	
		Extended Total (if Both Items Bid)				

Vendor Name: ALUMINUM SEATING, INC.

Address: P.O. BOX 3310
SAN BERNARDINO, CA 92413

Telephone # 800-757-7328 FAX # 909-388-2187

Respondent Name: BONNIE LITTLETON
(Please Print)

By: 
(Signature)

SPECIFICATIONS FOR PN 30 PICNIC TABLE FOR CITY OF FORT COLLINS

DESIGN - CONFIGURATION

MANUFACTURER

ALUMINUM SEATING, INC

P.O. BOX 3310

SAN BERNARDINO, CA 92413

PHONE (909)884 - 9449

(800)757 - SEAT

FAX. (909)388 - 2187

www.aluminumseating.com

e - mail : sales@aluminumseating.com

TABLE TOP AND SEAT PLANKS PN 6 (NOMINAL 2" X 10" OR ACTUAL 1.50" X 9.25" MINIMUM WALL THICKNESS OF 0.093 INCH AND WEIGH NO LESS THAN 1.84 POUNDS PER LINEAL FOOT EXTRUDED ALUMINUM ALLOY 6063-T6) SHALL BE DESIGNED TO SUPPORT A VERTICAL LOAD OF 240 POUNDS PER 18 INCHES OF SEATING LENGTH WITHOUT PERMANENT DEFORMATION. SEAT PLANK SHALL SUPPORT 200 POUNDS PER LINEAL FOOT SUPPORTED ON SIX FOOT ON CENTER WITH NO MORE THAN 0.25 INCH DEFLECTION BETWEEN SUPPORTS PLANK SURFACES SHALL HAVE EXTRUDED SERRATIONS TO PREVENT SLIPPAGE AND GLARE. THE TABLE TOP CONSISTS OF (3) PN 6 PLANKS LAID SIDE BY SIDE WITH ONE 27.75" END CAP ON EACH END. THE SEAT CONSISTS OF (1) PN 6 PLANK WITH ONE 9.25" END CAP ON EACH END. THE EXTRUDED ALUMINUM CHANNEL END CAPS SHALL HAVE A MINIMUM WALL THICKNESS OF 0.090 INCH (ALLOY 6063-T6).

FINISH

TABLE TOP AND SEAT PLANK SHALL HAVE A CLEAR ANODIZED FINISH WITH A MINIMUM GUARANTEED THICKNESS OF 0.0004 INCH CONFORMING TO THE ALUMINUM ASSOCIATION ARCHITECTURAL STANDARD AA-C22A31.

MATERIALS



ALUMINUM EXTRUSIONS ALLOY 6061 - T6 AND 6063 - T6 SHALL CONFORM TO THE STANDARDS ESTABLISHED BY ANSI H35.1, ASTM B308, ASTM B221 AND THE ALUMINUM ASSOCIATION.

UNDER STRUCTURE 100% WELDED


PICNIC TABLE LEGS VERTICAL MEMBER SHALL CONSIST OF 2" X 2" X 0.093" ALUMINUM SQUARE TUBE (6061 - T6) AND 2" X 2" X 0.187" ALUMINUM ANGLE (6061 - T6). HORIZONTAL TABLE TOP AND SEAT PLANKS MOUNTING FLANGE AND BASE ANGLE SHALL BE 2" X 3" X 0.188" ALUMINUM ANGLE (6061 - T6). THE WELDED TABLE LEG SHALL BE CAPABLE OF WITHSTANDING A HORIZONTAL PRESSURE OF 750 POUNDS PER LEG. TABLE LEGS SHALL HAVE HOLES FOR ANCHOR BOLTING TABLE LEGS TO CONCRETE.

PICNIC TABLE CONSTRUCTION

TABLE TOP AND SEAT PLANKS SHALL BE ATTACHED TO THE LEGS SIX FOOT MAXIMUM ON CENTER, BY USING (2) PN 129 CLIPS AND 5/16" X 1-1/4" CARRIAGE BOLT SETS PER PLANK PER FRAME.



PICNIC TABLE



ALUMINUM SEATING, INC.
 P.O. BOX 3310
 SAN BERNARDINO, CA 92413
 (909)884-8449
 (800)757-SEAT
 (909)388-2187 FAX
 www.aluminumseating.com

OWNER **CITY OF FORT COLLINS**

DESCRIPTION **6' LONG PICNIC TABLE
 CAPACITY 8 SEATS**

PRODUCT **PN30@6'-0"**

PAGE NO. **1 OF 1**

SCALE **NOT TO SCALE**

THIS DRAWING IS PREPARED AS AN INSTRUMENT OF SERVICE FOR USE ON THIS PROJECT ALONE AND IT REMAINS THE PROPERTY OF ALUMINUM SEATING, INC. NO REUSE OF ALL OR ANY PORTION OF THE PLANS, ELEVATIONS, DETAILS, OR NOTES SHOWN ON THESE DRAWING ARE AUTHORIZED FOR USE ON ANOTHER PROJECT OR BY ANOTHER PERSON ON THIS PROJECT WITHOUT WRITTEN PERMISSION OF RESPONSIBLE OFFICIALS OF ALUMINUM SEATING, INC.