

Poudre Fire Authority Equipment Bid Sheet						
QTY	DESCRIPTION	MFR' S #	UNIT PRICE	EXTENDED PRICE	LEAD TIME	% DISCOUNT OFF LIST
64	Scott 4500 PSIG 30 minute carbon cylinder & valve assembly	804721-01 Must be, No Substitutes!	645.95	41,340.80	10 weeks ARO	26.5%
90	Scott EZ-Flow II regulator w/HUD/quick connect	805693-10 Must be, No Substitutes!	593.88	53,449.20	8 weeks ARO	26.5%
130	Scott NFPA 2002 Edition upgrade kit	200056-10 Must be, No Substitutes!	771.75	100,327.50	12 weeks ARO	26.5%
130	Scott Dual EBSS retrofit kit	200170-02 Must be, No Substitutes!	349.13	45,386.90	8 weeks ARO	26.5%
14	Scott RIT Pak charging wand	805450-03 Must be, No Substitutes!	369.71	5,175.94	8 weeks ARO	26.5%
25	Scott AV3000 face piece large	805773-03 Must be, No Substitutes!	164.33	4,108.25	8 weeks ARO	30.0%
25	Scott AV3000 face piece medium	805773-02 Must be, No Substitutes!	164.33	4,108.25	8 weeks ARO	30.0%
BID TOTAL, ALL ITEMS				\$253,896.84		
<p>Poudre Fire Authority reserves the right to award this Bid by Total Bid, by Line Item, or by Product Type &/or Group. Items marked "Must Be, No Substitutes" must be the manufacturer and item indicated, to be considered. Poudre Fire Authority will be the final judge as to whether or not items meet the stated specification.</p>						
FIRM NAME: Fisher Scientific Co.			PHONE/FAX: 412 490 1292 / 412 490 1205			
ADDRESS: 2000 Park Lane Pittsburgh, PA 15275						
EMAIL ADDRESS: jon.bankowski@fishersci.com						
BIDDER'S NAME: Rustin Welton			DATE: 5-6-2004			
SIGNATURE: <i>Rustin E. Welton</i>						